

# TENAX ARMAFLEX



---

## BI-ORIENTED NET

---

---

### PHYSICAL AND DIMENSIONAL CHARACTERISTICS

---

Polymer		CO-POLYMER PP
Mesh shape		QUADRANGULAR
Packaging		ROLLS IN PE FILM AND WRAPPED IN CARTON BOXES
Color		WHITE
MD pitch	mm	13,0
TD pitch	mm	16,5
Unit weight	g/m <sup>2</sup>	100
Roll width	m	1,00
Roll length	m	50,0
Covered area	m <sup>2</sup>	50,0
Roll diameter	m	0,20
Roll volume	m <sup>3</sup>	0,04
Roll weight	kg	5,20

---

### MECHANICAL CHARACTERISTICS

---

Tensile strength MD	kN/m	4,5
Tensile strength TD	kN/m	6,0
Yield point elongation MD	%	15,0
Yield point elongation TD	%	15,0

---

The data contained in this publication are based on the knowledge available at the time of printing and may be subjected to amendments due to changes of the methods of testing and/or manufacturing. All dimensions and properties are reported as typical values.

TENAX nets are thermoplastic products subjected to shrinkage and deformations. MD: longitudinal direction. TD: transversal direction.

Tenax SpA Quality System has been assessed and registered in agreement with ISO 9001:2000 Standard.

---

